




## DATA SHEET - MANUAL BALANCING CRANE FORK WITH HEIGHT AND WIDTH NOT ADJUSTABLE



Code	Capacity (kg)	Weight (kg)	Dimensions (mm)					
			A	B	C	D	E	F
MBL-R06	600	75	1000	25	80	1100	1400	580
MBL-R10	1000	80	1000	25	90	1100	1400	580
MBL-R15	1500	115	1000	30	90	1400	1700	700
MBL-R20	2000	120	1000	35	100	1400	1700	700
MBL-R25	2500	155	1000	40	90	1400	1700	700
MBL-R30	3000	180	1000	35	120	1400	1700	700

**DATA SHEET - MANUAL BALANCING CRANE FORK WITH HEIGHT AND WIDTH NOT ADJUSTABLE****Crane forks****Manual balancing crane fork with height and width not adjustable****Crane fork with manual balancing**

The non-adjustable crane fork with ring balance is designed to provide an efficient lifting solution without the need for width or height adjustments. Manual balancing with a sliding ring allows the operator to adjust the balance according to the pallet depth to be handled. With a low height profile, this crane fork is ideal for truck-mounted hydraulic cranes in situations requiring a fixed and stable configuration, without the need to adapt to variable load sizes. All our crane forks are built and tested according to UNI EN 13155, UNI EN ISO 12100, UNI EN 13854, ISO 8686, and UNI EN 10204 standards and are issued with the appropriate metal ID plate, certificate of conformity, and user and maintenance manual. All our products are covered by a one-year warranty (European Directive).

**Application sectors** Construction  Lifting